





J(G. 3)





F16.4
















12/21 YOR9-2000-0205-USI




neural net classifier 1203

classifier


F(G. 12





F1G. 14


16. (5





	Input label	Output label	Score					_
	i d	2/V(90		Input label	Output label	Score	
	Lorest	SDOOM	6.	1604 🗸	Moode	taoro	. 20	
example	19020	plein	70	example	VVCOUS	LOIGST	16:	
-		20	<u>.</u>	_	opoo/W	rotoM	03	
1604	10000	- John	5	ノ	SDOOM	Water	S0:	
7,1001	Loiest	Lane	5.	16057		4 1	o	
	÷002	Moode	83	example	SDOOM	rorest	60.	
	169101	\$000A	89	2	-	7.77.00		
example 2	L	ï	7	<u> </u>	spoom	water	-	
1	Forest	בפוס	<u>.</u>	1606√	i	L	7	
1602√	i i	046	03	example	Field	Forest	.07	
ノ	Lorest	Lave	60.	8	Ü		22	
	2000/01	Moode	7		rieid	water	.33	
	Walci	8000	2	1ん091	-		30	
example 3	Water	Field	. 01	example	Гаке	loiesi	8.	
1602				4	9,0	Weter.	ሪ	
Sooi	Mater	ake I	8	<u>ー</u>	Lake	Wald	Ĉ.	
ノ		2	9					
₹) Query exa using repo	(A) Query examples cross-classified using repository classifier	-classified fier	(B)	Repositor classified	Repository examples cross- classified using query classifier	ross- classifier	

16/21 1089-2000-0205-45/

classified using query classifier







20/21 YDR9-2000-0205-US

matrix 1 (R -->Q)


	0.15	0.25	0.65
B	0.75	.35	.25
A	0	2	<u>က</u>


Š
^ ~
2 (Q
atrix
ma

	ന	0	ဖ
		4	ات
		70.7	
			44° 18
		N. G.W.	A Contract
		7	
	- 1-	\$	
	N	ഥ	ഥ
	1.17	T.	Ñ
	4	0	Ö
	75.3	a, si	3178
7			2
•			i. Ji
	_	D	ıo
۶ ا		ဖြ	¥
ı		6	<u></u>
,)
:			
: :		le le su	
		ija s	
•			
			133
	1		3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	1 1		16.34
	$\gamma = \rho_{\alpha}$		
			10 m

0.4875	0.0225	0.0525	0.0625	0.025	0.39
0.75*0.65	0.15*0.15	0.35*0.15	0.25*0.25	0.25*0.1	9.0*39.0
.(1,A)	(4°B)	(2,A)	(2,B)	(3,A)	(3'E)

FIG. 20





F16.21